Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 6, June13, 2013

For the Period June 4 to 10, 2013

Seeding is nearing completion in the province with 96 per cent of the 2013 crop in the ground, significantly above the five-year (2008-2012) average of 89 per cent seeded for this time of year.

Regionally, 93 per cent of the crop is seeded in the southeast while the remaining regions each have 97 per cent of the crop seeded.

Much of the province received significant rainfall which has slowed down field operations. The Kinistino area reported the greatest amount of rainfall at 93 mm. Provincially, topsoil moisture on crop land is rated as 10 per cent surplus, 84 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 86 per cent adequate and 10 per cent short.

The majority of fall cereals are in the tillering to jointed stages of crop development while most spring cereals are in the emerging to tillering stages. The majority of pulse crops are emerging and in the vegetative stages and flax crops are mostly in the pre-emergent or emerging crop stages. Canola and mustard crops are emerging or at the seedling stage of crop development.

Some reported crop damage this week was due to localized flooding, frost and insect damage from flea beetles, cutworms and pea leaf weevil.

Seeding Progress in SK
Per cent seeded
All Crops

June 10/13	96
5 year avg. (2008-2012)	89
June 11/12	96
June 6/11	79
June 10/10	70
June 8/09	99
June 8/08	99
10 year avg. (2003-2012)	92

One year ago
Ninety-six per cent of the 2012 crop had been seeded. Despite wet field conditions in many areas, emerged crops were in good to excellent condition.

Follow the 2013 Crop Report on Twitter @SKGovAg

Seeding Progress by Crop District

CD	June 10/13	June 11/12
1a	89	97
1b	95	90
2a	89	89
2b	96	95
3ase	95	98
3asw	92	97
3an	98	95
3bs	98	97
3bn	99	97
4a	99	98
4b	98	99
5a	98	84
5b	96	90
6a	97	99
6b	96	97
7a	97	97
7b	98	99
8a	98	97
8b	97	99
9ae	97	98
9aw	96	97
9b	97	97

Farmers are busy finishing seeding and controlling weeds.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Southeastern Saskatchewan	
Crop District	**% seeded (June 10, 2013)**
1A	89
1B	95
2A	89
2B	96
3ASE	95
Region average	**93**
five-year average (2008-2012)	80

Despite wet field conditions in much of the region, producers in the southeast have now seeded 93 per cent of the 2013 crop, up significantly from 71 per cent last week. The five-year (2008-2012) average for this time of year is approximately 80 per cent of acres seeded.

Rainfall this week ranged from trace amounts to more than two inches in some areas. The Moosomin area received 58 mm of rainfall, the Frobisher area 35 mm, the Manor area 17 mm, the Stoughton area 26 mm, the Broadview area 28 mm, the Glenavon area 28 mm, the Weyburn area 14 mm, the Briercrest area 15 mm, the Indian Head area 18 mm, the Pense area 8 mm and the Radville area 13 mm. Since April 1, the Radville area has received the greatest amount of precipitation (180 mm).

Topsoil moisture conditions on cropland are rated as 26 per cent surplus, 72 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 93 per cent adequate and two per cent short. CDs 1A and 2A are reporting that 31 per cent and 53 per cent, respectively, of the cropland has surplus topsoil moisture at this time.

The majority of crop damage this week is due to flooding, frost and insects. Some areas are reporting that heavy rainfall received in the last few weeks has packed the ground and excess moisture is not drying quickly. Many fields and access roads remain under water and some producers will not be able to complete seeding in some southern areas of the region. The majority of producers are now starting in-crop spraying operations on drier fields as weed growth is substantial in some areas. Most crops are still behind normal developmental stages for this time of year and will need more warm weather to help them catch up.

Farmers are busy finishing seeding, controlling weeds and working on equipment.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Southwestern Saskatchewan	
Crop District	**% Seeded (June 10, 2013)**
3ASW	92
3AN	98
3BS	98
3BN	99
4A	99
4B	98
Region average	**97**
five-year average (2008-2012)	91

Seeding is almost complete in the southwest. Ninety-seven per cent of the crop is in the ground, compared to 90 per cent last week. The five-year (2008-2012) average for this time of year is 91 per cent.

For many producers, rainfall received last week was welcomed to help alleviate dry field conditions; for others, the extra moisture may not allow seeding to be completed this year in some southern areas. The Bengough area received 21 mm of rainfall, the Rockglen and Cabri areas 17 mm, the Lafleche area 33 mm, the Mortlach area 18 mm, the Eyebrow area 16 mm, the Central Butte area 35 mm, the Cadillac area 27 mm, the Glenbain area 30 mm, the Webb area 24 mm, the Gull Lake area 11 mm and the Richmound area 9 mm. The Coronach area has received the greatest amount of precipitation since April 1 with 205 mm.

Topsoil moisture for cropland is rated as five per cent surplus, 88 per cent adequate and seven per cent short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 85 per cent adequate, 12 per cent short and one per cent very short.

Crop damage this week is due to frost, wind and insect damage from cutworms, flea beetles and pea leaf weevil. Some southern areas have flooding damage while other areas have damaged crops from a lack of moisture. There have been reports of frost damage to some alfalfa stands. In-crop spraying is underway and many producers are reporting large amounts of weeds in some fields. Some areas are reporting uneven crop emergence and staging due to moisture conditions but warm weather would help the crops catch up.

Farmers are busy finishing seeding, controlling weeds and hauling grain.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

East-Central Saskatchewan	
Crop District	**% Seeded (June 10, 2013)**
5A	98
5B	96
6A	97
Region average	**97**
five-year average (2008-2012)	84

Seeding continues to advance in the east-central region thanks to warm weather conditions. Ninety-seven per cent of the crop is now in the ground, significantly up from 84 per cent last week. The five-year (2008-2012) average for this time of year is 84 per cent.

Timely rainfall was received for much of the region and has helped to germinate crops. The Saltcoats area received 22 mm of rainfall, the Ituna and Pelly areas 18 mm, the Raymore area 13 mm, the Preeceville area 23 mm, the Quill Lake area 17 mm, the Bulyea area 30 mm, the Meacham area 36 mm, the Saskatoon area 32 mm and the Semans area 19 mm. Since April 1, the Esterhazy area has received the greatest amount of precipitation (125 mm).

Cropland topsoil moisture is rated as seven per cent surplus, 78 per cent adequate and 15 per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 75 per cent adequate and 20 per cent short.

Insects, frost, hail, wind and dry field conditions have damaged crops this week. There have been reports of flea beetle and cutworm damage to some canola crops. Frost has damaged some hay fields. Additional moisture and warm weather would be welcomed to help crops emerge and hay fields grow. In-crop spraying operations are starting and most producers will be back in the field in the coming weeks.

Farmers are busy finishing seeding, controlling weeds and hauling grain.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

West-Central Saskatchewan	
Crop District	**% Seeded (June 10, 2013)**
6B	96
7A	97
7B	98
Region average	**97**
five-year average (2008-2012)	96

Seeding progress is nearing completion and 97 per cent of the crop is in the ground, up from 87 per cent last week. The five-year (2008-2012) average for this time of year is 96 per cent.

Most of the region received some rainfall this week. The Tramping Lake area received 48 mm, the Sonningdale area 38 mm, the Biggar area 36 mm, the Cando area 35 mm, the Harris and Perdue areas 34 mm and the Dinsmore and Kindersley areas 29 mm. Since April 1, the Major area has received the greatest amount of precipitation (106 mm).

Cropland topsoil moisture is rated as six per cent surplus, 90 per cent adequate and four per cent short. Likewise, hay land and pasture topsoil moisture is rated as six per cent surplus, 90 per cent adequate and four per cent short. CD 7A is reporting topsoil moisture in crop land as nine per cent short and two per cent very short and hay land and pasture topsoil moisture as 10 per cent short and two per cent very short.

There was localized flooding that caused crop damage in some areas of the region this week. Damage from winds and dry conditions were reported in other areas. There were a few reports of insect damage by flea beetles and cutworms to canola crops. Spraying has started in many areas when wind and rain allows.

Farmers are busy finishing seeding, controlling weeds and rolling pulses.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Northeastern Saskatchewan	
Crop District	**% Seeded (June 10, 2013)**
8A	98
8B	97
9AE	97
Region average	**97**
five-year average (2008-2012)	88

Producers now have 97 per cent of the crop seeded, up 10 per cent from last week. The five-year (2008-2012) average for this time of year is 88 per cent of acres seeded.

There was rainfall throughout the region over this last week. The Kinistino area received 93 mm, the Melfort area 61 mm, the Prince Albert area 51 mm, the Lake Lenore area 50 mm, the Birch Hills area 39 mm, the Garrick area 30 mm, the Arborfield area 28 mm and the Tisdale and Nipawan areas 25 mm. Since April 1, the Kinistino area has received the greatest amount of precipitation (99 mm).
Topsoil moisture conditions on cropland are rated as 13 per cent surplus and 87 per cent adequate. Hay land and pasture topsoil moisture is rated as 10 per cent surplus, 89 per cent adequate and one per cent short. CD 8B is reporting that 24 per cent of crop land and 20 per cent of hay and pasture land have surplus topsoil moisture at this time.

Crop reporters are indicating that some crops have been damaged by localized flooding and hail. Insect damage by flea beetles and cutworms was also reported in some areas. Seeding operations are complete or are almost complete for most producers and in-crop spraying is underway. The recent rain was welcomed by most producers as it was well timed to help the crops emerge and grow.

Farmers are busy finishing seeding, controlling weeds and working fields.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Piereceland, Maidstone and Lloydminster areas)

Northwestern Saskatchewan	
Crop District	**% Seeded (June 10, 2013)**
9AW	96
9B	97
Region average	**97**
five-year average (2008-2012)	95

Seeding has progressed in the northwest over the last week and rainfall has been beneficial to growing crops. Ninety-seven per cent of the crop is now in the ground, up from 89 per cent last week. The five-year (2008-2012) average for this time of year is 95 per cent.

Over the last week most of the region has received rainfall. The Meadow Lake area received 43 mm, the Neilburg, Rabbit Lake and Radisson areas 31mm, the Spiritwood area 28 mm, the Hafford area 23 mm, the Speers area 22 mm and the Duck Lake and Turtleford areas 21 mm. Since April 1, the Meadow area has received the greatest amount of precipitation (72 mm).

Topsoil moisture conditions on cropland are rated as five per cent surplus, 93 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 87 per cent adequate and 10 per cent short. CD 9AW is reporting that 17 per cent of the hay and pasture land is short topsoil moisture while six per cent has surplus soil moisture at this time.

Crop damage this week was from frost and insects such as flea beetles and grasshoppers. There are reports that hay and pasture land have improved greatly with the recent rainfall. The majority of producers are almost done seeding and spraying has started in most areas when winds allow. The moisture over the last week was well timed for growing crops.

Farmers are finishing seeding, spraying, picking stones, and moving cattle to pasture.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 10, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 12, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 4 to 10, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	43	138
	3	Enniskillen	35	156
	33	Moose Creek	N/A	50
	34	Browning	N/A	72
	61	Antler	N/A	69
	63	Moose Mountain	17	107
	64	Brock	14	78
	65	Tecumseh	26	105
1B	91	Maryfield	6	77
	92	Walpole	N/A	NIL
	122	Martin	58	153
	123	Silverwood	15	112
	124	Kingsley	15	87
	125 A	Chester	28	92.7
	125 B	Chester	N/A	87
	151 A	Rocanville	15	118
	151 B	Rocanville	6	106
	153	Willowdale	N/A	N/A
	154	Elcapio	28	129
	155 A	Wolseley	3	84
	155 B	Wolseley	NIL	81
2A	67	Weyburn	22	156
	68	Brokenshell	15	164
	97	Wellington	6	69.5
	99	Caledonia	N/A	N/A
2B	127 A	Francis	14	65.5
	127 B	Francis	8	36.5
	129	Bratt's Lake	6	82
	131 A	Baildon	15	99
	131 B	Baildon	14	107
	156 A	Indian Head	18	49
	156 B	Indian Head	N/A	79
	160 A	Pense	N/A	N/A
	160 B	Pense	8	77.5
	161	Moose Jaw	9	53
	162	Caron	4	67
	191	Marquis	N/A	29
3ASE	38 A	Laurier	16	180
	38 B	Laurier	8	145
	39 A	The Gap	10	133
	39 B	The Gap	17	163
3ASW	10	Happy Valley	7	124
	11	Hart Butte	5	205.3
	12	Poplar Valley	2	147
	40 A	Bengough	16	170
	40 B	Bengough	12	175
	42	Willow Bunch	8	135
	43 A	Old Post	17	143
	43 B	Old Post	N/A	N/A
	70	Key West	22	84.3
	71	Excel	18	121
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	NIL
	73 A	Stonehenge	25.2	144.8
	73 B	Stonehenge	17	141
	74 A	Wood River	33	140.5
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	9	112
	102	Lake Johnston	11.4	54.2
	103 A	Sutton	12	67
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	18	88
	132 B	Hillsborough	15	64.3
	134	Shamrock	7	111
	164	Chaplin	N/A	17
	193 A	Eyebrow	14	38
	193 B	Eyebrow	18	56.2
	194	Enfield	N/A	N/A
	224	Maple Bush	35	71.5
3BS	17 A	Val Marie	27	167
	17 B	Val Marie	N/A	N/A
	45	Mankota	29	153.5
	75 A	Pinto Creek	28	100
	75 B	Pinto Creek	15	98
	76	Auvergne	23	94
	77	Wise Creek	16	149
	78 A	Grassy Creek	N/A	84
	78 B	Grassy Creek	29	141.5
	105	Glenbain	30	114
	106	Whiska Creek	26	94
	107 A	Lac Pelletier	20	93
	107 B	Lac Pelletier	N/A	43.5
	108	Bone Creek	23	99

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	136 A	Webb	24	91
	136 B	Webb	17.8	78.4
	166 A	Excelsior	19	80
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	14.4	70.4
	168 A	Riverside	18	75
	168 B	Riverside	17	101.4
	226 A	Victory	16	86
	226 B	Victory	N/A	30
	228	Lacadena	4	23
	255	Coteau	N/A	33.9
	257	Monet	7.5	38.6
4A	19	Frontier	N/A	N/A
	49	White Valley	N/A	91
	51 A	Reno	7.4	104.8
	51 B	Reno	N/A	N/A
	79	Arlington	30	112
	109	Carmichael	11	69
	110	Piapot	7	67
	111	Maple Creek	N/A	41
4B	139	Gull Lake	10	77
	141	Big Stick	4	71
	142	Enterprise	9	100
	169	Pittville	N/A	50
	231	Happyland	N/A	44
5A	183 A	Fertile Belt	N/A	180.5
	183 B	Fertile Belt	6	125
	186	Abernethy	N/A	44
	211	Churchbridge	8	66
	213	Saltcoats	22	103
	214	Cana	N/A	25
	216	Tullymet	20	68.3
	217 A	Lipton	N/A	N/A
	241	Calder	19	86
	243	Wallace	15	90
	245 A	Garry	N/A	30
	245 B	Garry	NIL	58
	245 C	Garry	6	40
	246	Ituna Bon Accord	16	46
	247	Kellross	15	43
	248	Touchwood	10	27
5B	271	Cote	10	65
	273	Sliding Hills	15	51.5
	277	Emerald	5	32
	305	Invermay	10	35.5
	307	Elfros	9	50
	308 A	Big Quill	8	26
	308 B	Big Quill	16	48
	331	Livingston	18	105
	333	Clayton	N/A	39
	334	Preeceville	23	58.2
	336	Sasman	9	39
	337 A	Lakeview	12	54.5
	337 B	Lakeview	N/A	9.5
	338	Lakeside	17	57
	366	Kelvington	12	58
	367	Ponass Lake	12.7	65.2
6A	190 A	Dufferin	7	52
	190 B	Dufferin	4	65.5
	190 C	Dufferin	6	52
	190 D	Dufferin	N/A	42
	219	Longlaketon	11	28
	220	Mickillop	30	80
	221	Sarnia	6.8	41.6
	222	Craik	3	56
	251	Big Arm	16	53
	252	Arm River	N/A	41
	279	Mount Hope	19	45
	282	McCraney	19	64
	309	Prairie Rose	N/A	48
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	20.6	73.4
	340	Wolverine	29	106
	341	Viscount	36	93
	343 A	Blucher	35.8	105.3
	343 B	Blucher	31.8	31.8
6B	283	Rosedale	17	67.5
	284	Rudy	20	59
	285	Fertile Valley	22	55
	286	Milden	29	46
	314	Dundurn	24	95
	344	Corman Park	21	43
	346	Perdue	34	68
	376 A	Eagle Creek	28	63
	376 B	Eagle Creek	38	85
	403 A	Rosthern	21	33
	403 B	Rosthern	25	64

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	259	Snipe Lake	15	40
	260 A	Newcombe	N/A	50
	260 B	Newcombe	N/A	N/A
	261	Chesterfield	NIL	43
	287	St. Andrews	N/A	26
	288	Pleasant Valley	N/A	37
	290 A	Kindersley	23	65.5
	290 B	Kindersley	N/A	25.5
	290 C	Kindersley	15	60.5
	292	Milton	NIL	39
	317 A	Marriott	N/A	N/A
	317 B	Marriott	34	87
	317 C	Marriott	N/A	N/A
	318	Mountain View	20	92
	320 A	Oakdale	12	81.9
	320 B	Oakdale	29	82
	321	Prairiedale	21	52
7B	347 A	Biggar	36	84
	347 B	Biggar	N/A	35
	350 A	Manposa	48.3	74.7
	350 B	Manposa	28	58
	351	Progress	12.5	45
	352	Heart's Hill	12	106
	377	Glenside	37	82
	378 A	Rosemount	25	68
	378 B	Rosemount	35	81
	379	Reford	21	49
	381	Grass Lake	24	41.1
	382	Eye Hill	5	21
	409 A	Buffalo	21	54
	409 B	Buffalo	N/A	N/A
	410	Round Valley	0.8	8.8
	411	Senlac	N/A	N/A
8A	395	Porcupine	13	39
	397	Barrier Valley	16.4	53.8
	426	Star City	20	41
	456	Arborfield	28	44
	457	Connaught	25	51
	458	Willow Creek	12	17
	486	Moose Range	N/A	19
	487 A	Nipawin	25	39
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	N/A	18
	370	Humboldt	28	75
	371	Bayne	N/A	20
	372	Grant	19.8	56.3
	400 A	Three Lakes	N/A	NIL
	400 B	Three Lakes	50	84
	402	Fish Creek	14	44
	429	Flett's Springs	61	76
	431	St. Louis	N/A	N/A
	459	Kinistino	93	99
	460	Birch Hills	39	57.4
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	30	32
	491	Buckland	51	93
9AW	406	Mayfield	31	65
	435	Redberry	23	55
	436	Douglas	22	66
	463	Duck Lake	21	50
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	23	58
	467 B	Round Hill	31	48
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	28	63.9
	497	Medstead	N/A	8
9B	438	Battle River	N/A	23
	440	Hillsdale	31	55
	442	Manitou Lake	18	59
	498 A	Parkdale	6	25.5
	498 B	Parkdale	14	31
	499 A	Mervin	21	46.4
	499 B	Mervin	N/A	23.5
	501 A	Frenchman Butte	16	63
	501 B	Frenchman Butte	14	46
	501 C	Frenchman Butte	8	51
	502 A	Britannia	N/A	N/A
	502 B	Britannia	14.5	62.5
	561	Loon Lake	15	44
	588 A	Meadow Lake	43	72
	588 B	Meadow Lake	14	52
	588 C	Meadow Lake	17	51
	588 D	Meadow Lake	N/A	31
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	N/A	43

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: June 10, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 12, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

June 11, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 12, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 11, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 12, 2013

© 2013 Government of Saskatchewan